

# Characterization and Consolidation of Laboratory Wastes

The DOT Lab Pack Regulations 49 CFR 173.12(b)



# **Objectives**

#### The participant will be able to explain;

- The DOT definition of a lab pack
- Acidic and basic compounds
- Materials prohibited as lab packs
- Proper physical packaging of lab packs



### DOT vs. EPA

- DOT addresses how to package and transport a lab pack
  - 49 CFR 173.12(b)
- EPA addresses how to dispose of a lab pack
  - 40 CFR 268.42(c)




### **DOT Lab Pack Definition**

- Found under 49 CFR 173.12(b)
- Only applies to wastes that are

3, 4.1, 4.2, 4.3, 5.1, 6.1, 8 or 9

 "...two or more chemically compatible waste materials in the same hazard class are packaged in the same outside packaging."





#### **DOT Hazard Classes**

- 3 Flammable Liquids
- 4.1 Flammable Solids
- 4.2 Spontaneously Combustible
- 4.3 Dangerous When Wet
- 5.1 Oxidizers
- 6.1 Toxic Materials
- **8** Corrosive Materials
- 9 Miscellaneous



- How do we determine the hazards of a chemical?
  - Chemistry knowledge
  - DOT literature
  - Chemical dictionary
  - NIOSH Pocketguide
  - MSDS
  - Aldrich literature
  - Clean Harbors Tech Services Helpline
  - Field testing (if chemical is unknown)



#### Hexane

- The first ten hydrocarbons are all flammable gases or liquids (methane to decane)
- Chemical dictionary says it is a liquid with a flashpoint of -9°F
- DOT classifies a flammable liquid as any liquid with a flash point no greater then 140°F.
- No literature identifying hexane as toxic, corrosive, explosive, radioactive, etc.
- DOT specifically lists hexane as a flammable liquid



#### **Sulfuric Acid**

- Chemical dictionary says it is a liquid that can corrode steel and tissue.
- The label on the bottle may say "Warning, Corrosive to Tissue".
- DOT classifies a corrosive as any material which can corrode steel, tissue or aluminum.
- No literature identifying sulfuric acid as toxic, flammable, explosive, radioactive, etc.
- DOT specifically lists sulfuric acid as corrosive



#### **Sodium-Potassium Alloy (NaK)**

- Chemical dictionary says it is highly water reactive.
- MSDS says it is water reactive.
- Aldrich catalogue says it is water reactive and corrosive to tissue.
- No literature identifying NaK as flammable liquid, toxic, corrosive (by DOT definition), explosive, radioactive, etc.
- DOT classifies a water reactive material as any material that produces flammable gas when exposed to water.
- DOT specifically lists NaK as a water reactive substance.




## **Lab Pack Definition**

#### **Outer Containers**

- UN1A2 (open top steel drums)
- UN1B2 (open top aluminum drums)
- UN1D (plywood drums)
- UN1G (fiber drums)
- UN1H2 (open top plastic drums)











## **Lab Pack Definition**

#### **Inner Containers**

- Plastic, not exceeding 5.3 gallons (20 liters)
- Metal, not exceeding 5.3 gallons (20 liters)
- Glass, not exceeding 1 gallon (4 liters)













### **Lab Pack Definition**

 All containers must be packed with an absorbent that is chemically compatible.

Maximum gross weight is 452 pounds (205 kilos).

 Each container may contain only one class of hazardous material.



# Chemically Compatible Absorbent

#### Vermiculite

Light, non-reactive, cheap

#### Absorbent Clay

Heavy, non-reactive, very absorbent

#### Polysorb

Only for hydrofluoric acid, expensive







# Maximum Weight 452 Pounds

- The rule of thumb is nothing heavier than 50 pounds each
- Don't put anything in the drum you can't take out



- Everything in the drum must be the same primary hazard.
- How do you determine primary hazard?



Symbols	Hazardous materials descriptions and proper shipping names	Hazard class or division
1	2	3
	Acetone	3
	Acetic acid, glacial or Acetic acid solution, with more than 80 percent acid by mass	8
	Chloroform	6.1
	Hydrochloric acid	8



Acetone is 3

Benzene is 3

Toluene is 3

Butyronitrile is 3, 6.1

Bromoacetone is 6.1, 3

These all have the same primary hazard class. They can go in the drum together.

Yes, this is flammable, but the <u>primary hazard</u> is toxic, thus it can not go in the same drum.



Ethyl bromoacetate is 6.1, 3

Ethyl bromide is 6.1

Ethyl chloroacetate is 6.1, 3

Ethyl butyrate is 3

Only these three go together.

This must go by itself.



The primary hazard class requirement allows easy selection of proper shipping descriptions.

Acetone is 3

Benzene is 3

Toluene is 3

Hexane is 3

Flammable liquid, n.o.s., 3, UN1993, II



The primary hazard class requirement allows easy selection of proper shipping descriptions.

Acetone is 3

Benzene is 3

Toluene is 3

Isobutyryl chloride is 3, 6.1

Flammable liquids, toxic, n.o.s., 3(6.1), UN1992, II



Acids and bases are both hazard class 8.
 Can I pack them into the same drum?

 They may both be class 8, but there are big differences between acids and bases.





#### Acid

- pH less than 7
- Turns litmus red
- Sour taste
- Attacks tissue
- Attacks metal

#### Base (caustic, alkaline)

- pH greater than 7
- Turns litmus blue
- Bitter taste
- Attacks tissue



1 2 3 4 5 6 7 8 9 10 11 12 13 14

Neutral
Acids

Bases



Acids and bases will react with one another to form salt and water. However, this reaction can be very violent. They are both class 8, but must be packed separately.

 $HCl + NaOH \longrightarrow NaCl + H_2O$ 




Besides acids and bases, there are other materials that are the same hazard class, but are incompatible with one another.






Some inorganic oxidizers can react with organic oxidizers. They are incompatible, so they must be packed separately.

Calcium hypochlorite can react with Trichloro-s-triazinetrione







Furthermore, when addressing the compatibility issue, we need to look at subsidiary hazards.

**Glacial Acetic Acid** 

**Nitrating Acid Mixtures** 

Hazard class 8, 3

Hazard class 8, 5.1

For safety, these can't go in the same drum.



#### The following materials may not be lab packed

- PIH materials
- 6.1, PGI materials
- 4.2, PGI materials
- Chloric acid
- Oleum (fuming sulfuric acid)
- Gases (2.1, 2.2 & 2.3) and Organic Peroxides (5.2) are not lab packs





#### **PIH Materials (Inhalation Hazards)**

- Bromine
- Nitric acid, red fuming
- Chloroacetonitrile
- Titanium tetrachloride
- Nickel carbonyl
- Trichloroacetyl chloride





#### 6.1, PGI Materials

- Allylamine
- Chloropicrin
- Sodium cyanide
- Methylhydrazine
- Phenyl mercaptan
- Potassium fluoroacetate





#### 4.2, PGI Materials

- Aluminum alkyls
- tert-Butyl hypochlorite
- Phosphorus, white dry
- Pentaborane





#### **Chloric Acid**

- -5.1
- PGII



#### **Oleum**

- -8,6.1
- PGI
- PIH- Zone B







#### Gases (2.1, 2.2, 2.3)

- Must be shipped individually or
- Shipped with a special permit

### **Organic Peroxides (5.2)**


Always have to be packaged individually



# **Physically Packing Drums**

Okay, we know what can and can not be packed together.


Now, how do we actually pack the drum?





# First, segregate the chemicals to be packed together.









# Once segregated, we know how many and what size drums we will need.







# **Packing Drums**


Start with a couple inches of absorbent (verm) on the bottom of the drum.



# **Packing Drums**


All inner containers must be closed, not leaking, not reacting and packed with closures facing up.

Place bottom layer of containers in drum. Leave space between them.






Place verm between and completely covering containers.






All inner containers must be closed, not leaking, not reacting and packed with closures facing up.

Add second level of containers.








Add second level of verm.



All inner containers must be closed, not leaking, not reacting and packed with closures facing up.


Add third level of containers.





Top off with verm.

Shake drum to allow verm to settle. Then top off with verm again.






Select Shipping Description:

Everything in the drum is flammable, and some have a subsidiary hazard of toxic.

Flammable liquids, toxic, n.o.s.






### "Waste" in Name

If any RCRA codes are assigned to an inner container, the drum is classified as hazardous waste and must be shipped on a manifest.


If a RCRA waste must be shipped on a manifest, "Waste" must precede the shipping description.

Waste Flammable liquids, toxic, n.o.s.






# Labeling and Marking Lab Packs





## **Example**


A client has the following materials for disposal.



First, segregate the materials to be packed together.




## **Example**



As you see, we have: corrosives (acids), flammable liquids, and an oxidizer.



## **Example**






#### **Shipping Description:**

Waste Flammable liquids, n.o.s., (Benzene, Toluene), 3, UN1993, II


D001, D018





**Shipping Description:** 


Waste Flammable liquids, n.o.s., (Benzene, Toluene), 3, UN1993, II





#### Shipping Description:


Waste Corrosive liquid, acidic, inorganic, n.o.s., (Sulfuric Acid, Phosphoric Acid), 8, UN3264, II





#### Shipping Description:


Waste Corrosive liquid, acidic, inorganic, n.o.s., (Sulfuric Acid, Phosphoric Acid), 8, UN3264, II





Shipping Description:

Waste Lead nitrate, 5.1(6.1), UN1469, II





**Shipping Description:** 

Waste Lead nitrate, 5.1(6.1), UN1469, II





# What happens to our lab packs?

Approximately 98% of our lab packs will be depacked and repacked for disposal.

Ultimate disposal can be incineration, neutralization, landfill, fuels blending, recycling or deactivation.








# Reidsville, NC

Lab packs are depacked and consolidated for disposal.





# Additions to DOT Lab Packs

We not only have to pack according to DOT regulations, we must also follow...

#### **RCRA Regulations**

EPA says some materials may not be disposed of as lab packs.

#### **Facility Restrictions**

Facilities are permitted by what waste they can and can not accept.



## For example...

The battery has a different disposal facility and a completely different disposal process. The battery must be in a separate container.

Sulfuric Acid 8

Hydrochloric Acid 8







## For example...

Batteries can have different treatment processes, thus different disposal sites. These batteries must go in four separate drums.














## For example...

Mercury also has a different disposal facility and a completely different disposal process. Thus, it must be in a separate container.



These acids can be neutralized or incinerated, but the mercury must be recycled.



## Segregation

#### • 177.848(c)

- Cyanides can not be transported with acids, if the mixture would evolve toxic gas, and
- 4.2s can not be transported with corrosive liquids

#### As per 173.12(e)

 The lab pack regulations can also get us around these restrictions, but you have to follow the packing requirements.



## Segregation

#### As per 173.12(e)

- The lab pack regulations can also get us around these restrictions, but you have to follow the packing requirements.
  - The cyanides must be lab packed PGII or PGIII and the 4.2s must be lab packed PGII or PGIII.
  - The corrosives must be non-bulk containers only.
  - As well, the cyanides and 4.2s must be 4" off the floor of the vehicle and 4' from the corrosives.



## Summary

- Only one hazard class per drum
- All materials must be compatible
- No leaking or open containers
- No containers greater than
  - 5 gallons (plastic or metal)
  - 1 gallon (glass)
- Watch out for prohibited materials
- Use plenty of vermiculite





## Questions

